## **Inovata**<sup>®</sup>

# Animal Health Range



### **Inovata**<sup>®</sup>

## **MADE** HERE. **FOR** HERE.

At Inovata, better animal health outcomes are the result of our dedicated research and development programs. With significant advancements in animal science, we have developed innovative, quality veterinary product lines, specifically for New Zealand conditions, combining efficacy with ease of use to create great products you can have confidence in.

New Zealand owned and operated, with our own local manufacturing and research facility, Inovata works collaboratively with industry and on-farm. We are passionate about playing an integral role in animal care to make an enduring difference to animal health and parasite control, vital for the profitability of livestock production in New Zealand.



#### TRIPLE ACTIVE



#### Eraser | Triple Active Oral For Sheep



#### Actives 1 g/L Abamectin 40 g/L Levamisole Hydrochloride 0.6 g/L Zinc, 0.21 g/L Cobalt 25 g/L Albendazole

#### **Added Minerals**

#### 2.1 g/L Copper, 0.5 g/L Selenium, • gastrointestinal roundworms and 0.76 g/L lodine

#### **Effective Against**

- · tapeworms · lungworms
- · itch mite · nasal bot
- · aids in the control of adult liver fluke

Withholding Periods	Dose Rate	Pack Size
Milk 35 Days / Meat 14 Days	1mL/5kg	1L & 20L

ACVM Act 1997 No. A011945



#### Eraser OX | Triple Active Oral For Sheep



Actives	Added Minerals	Effective Against
1 g/L Abamectin	2.1 g/L Copper, 0.5 g/L Selenium,	· gastrointestinal roundworms
40 g/L Levamisole Hydrochloride	0.6 g/L Zinc, 0.21 g/L Cobalt and	·lungworms
22.65 g/L Oxfendazole	0.76 g/L lodine	

Withholding Periods	Dose Rate	Pack Size
Milk 35 Days / Meat 21 Days	1mL/5kg	20L

ACVM Act 1997 No. A011949

#### **Eraser Tape** | Triple Active Oral + Tape For Sheep





#### **Actives**

1 g/L Abamectin 40 g/L Levamisole Hydrochloride 0.21 g/L Cobalt, 0.76 g/L Iodine 25 g/L Albendazole 19 g/L Praziquantel

#### **Added Minerals**

2.1 g/L Copper, 0.6 g/L Zinc, and 0.5 g/L Selenium

#### **Effective Against**

- · gastrointestinal roundworms
- tapewormslungworms
- · itch mite · nodule worms
- $\cdot$  nasal bot  $\cdot$  aids in the control of adult liver fluke

Withholding Periods	Dose Rate	Pack Size
Milk 35 Days / Meat 21 Days	1mL/5kg	10L

ACVM Act 1997 No. A011948

#### **Tison** | Double Active Spot-On For Sheep





Actives **Added Minerals Effective Against** 

15 g/L Eprinomectin No added minerals 26 g/L Levamisole

·lungworms

Withholding Periods	Dose Rate	Pack Size
Milk 35 Days / Meat 16 Days	1mL/2.5kg	1L & 10L

It is not recommended to apply this product within 2 weeks of shearing (pre or post). ACVM Act 1997 No. A011955

#### Inovata Tape | Double Active Oral + Tape For Sheep





Actives

40 g/L Levamisole Hydrochloride 2.1g/L Copper, 0.5g/L Selenium, 25 g/L Albendazole

19 g/L Praziquantel

#### **Added Minerals**

0.6g/L Zinc, 0.21g/L Cobalt and 0.76g/L lodine

#### **Effective Against**

 $\cdot \, \text{gastrointestinal roundworms}$ 

 $\cdot$  gastrointestinal roundworms

- $\cdot$  tapeworms  $\cdot$  lungworms
- $\boldsymbol{\cdot}$  aids in the control of adult liver fluke

Withholding Periods	Dose Rate	Pack Size
Milk 35 Days / Meat 14 Days	1mL/5kg	10L

**COMING SPRING 2024** 

ACVM Act 1997 No. No A011965



#### **Inovata OXL** | Double Active Oral For Sheep



Actives	Added Minerals	<b>Effective Against</b>
40 a/L Levamisole Hydrochloride	25 g/L Copper 0.21 g/L Cobalt	· gastrointestinal

40 22.65 g/L Oxfendazole

0.76 g/L lodine, 1.25 g/L Zinc and 0.5 g/L Selenium

l roundworms  $\cdot lungworms \cdot tapeworms$ 

Withholding Periods	Dose Rate	Pack Size
Milk 35 Days / Meat 14 Days	1mL/5kg	20L

ACVM Act 1997 No. A011956

#### **Gemini** | Double Active Oral For Sheep and Cattle







Actives **Added Minerals** 2g/L Abamectin 1g/L Selenium and 5g/L Cobalt 80g/L Levamisole Hydrochloride

**Effective Against** · gastrointestinal roundworms

·lungworms

Withholding Periods (Sheep & Cattle)	Dose Rate	Pack Size
Milk 35 Days / Meat 14 Days	1mL/10kg	10L

ACVM Act 1997 No. A011950



#### **Inovata Abamectin** | Single Active Pour On For Cattle



Actives	Added
Oa/L Abamactin	No add

No added minerals

**Minerals** 

#### **Effective Against**

- $\cdot$  gastrointestinal roundworms
- ·lungworms
- · biting and sucking lice

Withholding Periods	Dose Rate	Pack Size
Milk 35 Days / Meat 35 Days	lmL/20kg	5L & 20L

ACVM Act 1997 No. A011958



#### **Cyro-Spray** | Single Active Spray On For Sheep




**Actives** 60g/L Cyromazine **Added Minerals**No added minerals

**Effective Against** 

Commonly found strike flies including the Australian Green Blowfly (Lucilia cuprina).

Withholding Periods	Dose Rate	Pack Size
Milk 35 Days	For prevention of flystrike at docking/tailing:	10L & 20L
Meat 7 Days	Apply 5-10mL over the crutch.	
Wool 60 Days	For the prevention of poll strike:	
	Apply at least 5mL around the poll and horns.	

ACVM Act 1997 No. A012004







**Actives** 500g/L Cyromazine

**Added Minerals**No added minerals

Effective Against

Commonly found strike flies including the Australian Green Blowfly (Lucilia cuprina).

Withholding Periods	Dose Rate	Pack Size
Milk 35 Days Meat 7 Days Wool 60 Days	For longer term protection (up to 12 weeks): Mix 2 litres of product with 1,000 litres of water and apply by showering, plunge dipping or jetting. For medium term protection (up to 6 weeks): Mix 1 litre of product with 1,000 litres of water and apply by showering, plunge dipping or jetting.	2L & 5L

ACVM Act 1997 No. A012003



