

BEEF DRENCH PLAN

ANIMAL HEALTH

PRODUCT	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN
Beef Calves off Cows								Control of the major parasites of young cattle, Ostertagia, lungworm and Ivermectin resistant Cooperia				
Gemini								Weaning		Regular drenching every 6 weeks		
Inovata Cattle AL								From weaning to June in fluke areas alternating with Gemini or Inovata Abamec				
Inovata Abamectin											Lice control heading into winter	
Inovata Selenium Pour-On*	Ensure your young stock have optimum selenium levels through the season with Inovata Selenium Pour-On											
Beef Cattle R1s/R2s	Control of the major parasites of young cattle, Ostertagia, lungworm and Ivermectin resistant Cooperia								Autumn Ostertagia, Fluke (if required) and lice control			
Gemini	Every 6 - 8 weeks											
Inovata Cattle AL	Adult Fluke and Worm Control										Adult Fluke and Worm Control	
Inovata Abamectin									Autumn treatment when larval challenge is high and lice control			
Inovata Selenium Pour-On*				Replacements pre-bull								
Beef Cows								Control of the major parasites of young cattle, Ostertagia, lungworm and Ivermectin resistant Cooperia				
Inovata Cattle AL	Adult Fluke and Worm Control										Adult Fluke and Worm Control	
Inovata Abamectin	Lice and Worm Control									Lice and Worm Control		
Inovata Selenium Pour-On*	Pre-Calving and Mating									Pregnancy Testing		

* Inovata Selenium Pour-On, the suggestions above are a guide for when the best responses may be seen but the requirements for selenium may be higher on some soil types. Discuss the requirements for selenium for your farm and class of stock with your veterinarian and find out where Inovata Selenium Pour-On would work for you.

DAIRY DRENCH PLAN

ANIMAL HEALTH

PRODUCT	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN		
Dairy Calves & Weaners	Control of the major parasites of young cattle, Ostertagia, lungworm and Ivermectin resistant Cooperia													
Gemini	Post Weaning every 4 - 6 weeks Calves > 100kg													
Inovata Cattle AL	Weaning Use in fluke areas alternating with Gemini													
Inovata Abamectin														
Inovata Selenium Pour-On*	Ensure your young stock have optimum selenium levels through the season with Inovata Selenium Pour-On.													
Dairy Heifers	Control of the major parasites of young cattle, Ostertagia, lungworm and Ivermectin resistant Cooperia						Autumn Ostertagia, Fluke (if required) and lice control							
Gemini	Every 6 - 8 weeks													
Inovata Abamectin	Autumn treatment when larval challenge is high and lice control													
Inovata Selenium Pour-On*	Ensure your young stock have optimum selenium levels through the season with Inovata Selenium Pour-On													
Inovata Cattle AL	Adult Fluke and Worm Control												Adult Fluke and Worm Control	
Lactating Dairy Cows														
Gemini														
Inovata Abamectin	Cost effective lice control at dry off													
Inovata Selenium Pour-On*	Selenium Boost Pre-calving and mating						Selenium Boost Pre-calving and mating							

* Inovata Selenium Pour-On, the suggestions above are a guide for when the best responses may be seen but the requirements for selenium may be higher on some soil types. Discuss the requirements for selenium for your farm and class of stock with your veterinarian and find out where Inovata Selenium Pour-On would work for you.

SHEEP DRENCH PLAN | ANIMAL HEALTH

PRODUCT	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN			
Lambs	Consider exit drenching		Use a pre weaning drench to increase growth rates pre weaning.				Drench every 28 days. Consider Haemonchus control in effected areas.				Monitor drench efficacy against small intestinal Trichostrongylus				
Inovata Tape				Pre weaning Coordinate with your 5 n 1 vaccination policy		Weaning									
Eraser Tape															
Inovata OXL	Late Autumn and Winter									Post weaning				Late Autumn and Winter	
Gemini															
Eraser															
Eraser OX															
Tison															
Adult Sheep	Ewes 2 - 3 weeks prior to lambing										Ewes 2 - 3 weeks prior to lambing				
Inovata Tape															
Eraser Tape															
Inovata OXL	Pre Lamb Tailor drench choice to ewe drenching requirements and the drench resistance status of the farm		Docking					Consider the requirement for Haemonchus control in younger and lighter condition ewes			Pre Lamb				
Gemini															
Eraser															
Eraser OX															
Tison															
Fly Strike Control in Sheep		Spray On = Lambs at docking/tailing, convenient use Liquid = When flystrike is eminent, for use with a jetting race or shower dip													
Cyro-Spray		Lambs at docking/tailing													
Cyro-Liquid					Warm and humid conditions, flystrike prevention.										

DEER DRENCH PLAN

ANIMAL HEALTH

PRODUCT	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	
Weaner Deer/ Young Growing Stock													
Inovata Selenium Pour-On	Ensure your weaners have optimum selenium levels for growth									Ensure your weaners have optimum selenium levels for growth			
Velveting Stags													
Inovata Selenium Pour-On		At button drop pre-velvet growth											
Breeding Stags													
Inovata Selenium Pour-On								Pre-rut					
Hinds													
Inovata Selenium Pour-On				Pre-fawning				Pre-rut					

* Inovata Selenium Pour-On, the suggestions above are a guide for when the best responses may be seen but the requirements for selenium may be higher on some soil types. Discuss the requirements for selenium for your farm and class of stock with your veterinarian and find out where Inovata Selenium Pour-On would work for you.